IntraSpace™

PRODUCT GUIDE

Shelving Specifier



Shelving for Every Application

FILESTOR
Universal Shelving



IntraMed Overhead
Track Shelving



IntraMed Wire Shelving



FILESTOR
Longspan Shelving



Secure, Flammable, and Corrosive Cabinets

Archives/Records Storage



FileStor Universal Shelving

A space efficient and economical storage solution, ruggedly constructed from high quality Australian Colourbond Steel. One piece solid uprights with a rolled frame edge for additional strength, safety and aesthetic appeal.

- Fully adjustable shelf levels in 25mm increments
- Powder coated finish
- Standard or slotted shelves available for use with metal file supports
- Use either solid plate backs or crossbracing
- Modular – starter bays and add on bays – single or double sided
- Decorative cover panels available on ends for smooth neat finish
- GECA Approved range available on request.

Shelf Lengths: Standard Sizes	750, 900, 1000, 1200mm
Unit Heights: Standard Sizes	1875, 2175, 2375mm
Shelf Depths: Standard Sizes	300, 400, 450, 500, 600, 800mm
Shelf Depths: Custom Sizes	250, 350mm
Weight Loading	Smaller shelves such as 900 x 300mm and 750 x 400mm are 110kg SWL. Others that are deeper or wider are more like 50-80kgs
Colours: Standard	White Satin or Grey – other Powdercoat colours available on request
Suitable for	Lateral Files, General Storage, Archive Storeroom
Accessories	Wire filing racks, Roll out work shelves, Pull out filing frame, Magnetic label holders, Back cross bracing, Bin fronts, Solid dividers





File Racks



FileStor Mobile Shelving



Library Book Storage





Government Records





Medical Records




FileStor – Low Profile Track System

Mobile shelving systems maximise your storage area creating additional workspace. Eliminates multiples access aisles and passage ways.

- Low profile tracks do not require fixing and can be placed on top of most existing floor surfaces
- System quick to install, relocate or reconfigure
- Shelving can be configured to store a variety of different sized media
- No heavy base required, keeps floor loads to a minimum
- All shelf levels fully adjustable
- Effortless push-pull movement
- Option of powder coated coloured front panels
- GECA Approved range available on request.







Low Profile Tracks



Hand Operated



Mechanical Assistant - Style 1



Mechanical Assistant - Style 2

Mobile shelving systems configured in tandem or multiple bay width, require mechanical or electrical assistance to reduce operator strain.

- Easy drive console with chain and drive cog allows fully loaded bays to be moved with minimal effort – recommended for any system wider than 1800mm
- Does not require preparation of floor surface
- The 15mm low profile tracks are trolley and wheelchair friendly

FileStor – Base Mounted Track System




Base Mounted

Rigid metal base features platform and adjustable feet for accurate levelling on uneven floors

- Large 0.5 tonne wheels allow easy movement
- Anti-tilt Mechanism prevents tipping
- Available with Hand Operation or Mechanically Assisted
- Timber particle board infill flooring
- Track length can be made to any size to maximise capacity in any room

Accessories	Wire filing racks, Roll out work shelves, Pull out filing frame, Magnetic label holders, Back cross bracing, Bin fronts, Solid dividers
Colours : Standard	Silver Grey or White Other Powdercoat colours available on request
Bay Heights	1875, 2175, 2375mm Add 75-115mm for installed Height
Shelf Depths	250, 300, 400, 450, 500, 600mm Add 25mm for installed Depth
Bay Widths	750, 900, 1050, 1200mm
Tandem Widths	750 + 750 = 1500mm
Combination of Sizes Available	900 + 900 = 1800mm 900 + 1200 = 2100mm 1200 + 1200 = 2400mm



Standard Unit Lengths - Based on 400 Deep Bays

4 Bay Unit	2,560mm with 800mm aisle
6 Bay Unit	3,350mm with 800mm aisle
8 Bay Unit	4,160mm with 760mm aisle
10 Bay Unit	5,000mm with 750mm aisle
Access Aisles	Minimum aisle width is 650mm

Some sizes only available/manufactured to order



We design, deliver and install at your premises.
Configurations are endless – Ask us for a measure and quote today.

FileStor - Mech Assist/Electronic Fixed Track

The Fixed-Track-On-Floor caters for uneven floor surfaces. This heavy duty system is predominantly used in larger applications, such as Medical Records Department., Libraries and Bulk Archive storage. Rigid track and base system engineered in a variety of widths and lengths to maximise the storage.

- Mechanically assisted crank handles allow operator to move very heavy loads with ease
- Track-on-Floor unit allow multiple bays in tandem up to widths of 6 metres
- An infill timber floor and sloping access ramp provides a safe, solid walking platform which can be covered with carpet / vinyl







FileStor - Mech Assist/Electronic Fixed Track

The FileStor Electric Mobile Shelving System provides high density storage security of records and safety to staff. With a touch of the easy to use control panel you can open up the system to the required position.

The unit allows multiple security levels for individual users. Particular aisles and bays may be zoned for staff or groups and all access can be tracked by unique software that can be reprogrammed anytime by laptop.
Advanced safety protection features optical sensors and resistance monitoring eliminating the risk of being caught in the unit, with 24/7 back up and reliability.







FileStor - Glide-A-Side Custom/Art Storage

The Glide-A-Side Unit is ideal for narrow spaces and unconventional areas.





Let us help you with any customised solution - science lab storage with Gratnells tubs, wide longspan mobile storage systems and back of house storage.



Custom Solutions





Art Storage



Accessories



Wire Racks - Loop

LSR-750	Width	750mm	Depth	300mm
LSR-9	Width	900mm	Depth	300mm
LSR-1050	Width	2050mm	Depth	300mm
LSR-12	Width	1200mm	Depth	300mm



Wire Racks - Wrap Around Styles

WASR-750	Width	750mm	Depth	400mm
WASR-9	Width	900mm	Depth	400mm
WASR-1050	Width	2050mm	Depth	400mm
WASR-12	Width	1200mm	Depth	400mm



Pullout Work Shelf



Fixed Dividers



Mobile Shelving Bay Locks




Magnetic Shelf Labels


FSMSL125	Size	1	Height	110mm	Width	25mm
FSMSL150	Size	2	Height	110mm	Width	50mm
FSMSL290	Size	3	Height	1210mm	Width	90mm

Self-Adhesive Ticket Stripping

IMDDA000055-914	Size	2	Height	914mm	Width	26mm
IMDDA000055-1200	Size	3	Height	1200mm	Width	26mm


Mobile shelving units eliminate the space wasting access aisle





Save 60% Floor Space


IntraMed Clinical Shelving



IntraMed Chrome

Chrome is a plating process which deposits hard chrome over a copper, nickel surface. This process is very durable and is used in storage or material handling applications in any dry storage environment.


Colour	Silver
Structural Warranty	5 Years
Corrosion Warranty	10 Years



IntraMed Epoxy - Anti-Bacterial Green

Epoxy is an economical solution for high humidity or wet applications. The carbon steel is treated with a zinc phosphate base. A hybrid epoxy with an anti-bacterial agent is electrostatic ally applied over the treated surface.


Colour	Light Green
Structural Warranty	5 Years
Corrosion Warranty	10 Years



IntraMed Epoxy - Purple

Anti-mildew and anti-bacterial functions of shelves, and have a protective effect against E. coli and Staphylococcus aureus.


Colour	Purple
Structural Warranty	5 Years
Corrosion Warranty	10 Years



IntraMed Zinc - Epoxy

Zinc-coated with transparent resin powder, with anti-mildew and anti-bacterial ingredients. Smooth finish.

Colour	Silver
Structural Warranty	5 Years
Corrosion Warranty	10 Years



IntraMed Stainless Steel

304 Stainless with an electropolish finish represents the highest industry standard in the prevention of corrosion. The finish is highly effective for corrosive, high humidity or clean room environments.

Colour	Silver
Structural Warranty	5 Years
Corrosion Warranty	10 Years

IntraMed Wire Shelving



IntraMed Wire Shelving

IntraMed Wire Shelving systems are ideally suited to the Medical, Linen and Healthcare markets- Round Posts

- Ideal to meet infection control standards
- Maximum ventilation
- Static, Mobile and Hang-on corner bays
- Quality castors and wheels
- Large range of accessories available
- 2 year corrosion warranty- chrome
- 10 year corrosion warranty- s/steel

Shelf Lengths: Standard Sizes	760, 915, 1070, 1220, 1370, 1525, 1830mm	
Unit Heights: Standard Sizes	Static Mobile	1880, 2000, 2200mm 1750 mm
Shelf Depths: Standard Sizes	Stocked Sizes Sizes available on request	457, 610mm 355, 525mm
Materials	Chrome, Stainless Steel	
Weight Loading	Shelves up to 1200mm wide - 360kgs per shelf	
	Shelves from 1200-1800mm wide - 205kgs per shelf	
Suitable for	Coolroom, Sterile Store, Theatre Storage, General Storage, CSSD, Clean	
Accessories	Rear & Side Ledges, Dividers, Labelling, Bridging Clips, Castors, Buffers & Adjustable feet	



IntraMed Epoxy Shelving

IntraMed Epoxy Shelving systems are ideally suited to the Medical, Linen and Healthcare markets- Round Posts

- Ideal to meet infection control standards
- Maximum ventilation
- Static, Mobile and Hang-on corner bays
- Quality castors and wheels
- Large range of accessories available
- 10 year corrosion warranty

Shelf Lengths: Standard Sizes	760, 915, 1070, 1220, 1370, 1525, 1830mm	
Unit Heights: Standard Sizes	Static Mobile	1880, 2000, 2200mm 1750 mm
Shelf Depths: Standard Sizes	Stocked Sizes Sizes available on request	457, 610mm 355, 525mm
Materials	Epoxy coated	
Weight Loading	Shelves up to 1200mm wide - 360kgs per shelf	
	Shelves from 1200-1800mm wide - 205kgs per shelf	
Suitable for	Coolroom, Sterile Store, Theatre Storage, General Storage, CSSD, Clean Utilities	
Accessories	Rear & Side Ledges, Dividers, Labelling, Bridging Clips, Castors, Buffers & Adjustable feet	

IntraMed Wire Shelving



Sterile Storeroom



Linen Storage



Consumable Storage



General Storage



Fluid Storage

Dunnage/ Mobile and Security Cages



Mobile Trolley Bays

- Wire, M-Span, Green Metro and MetroMax Q can all be converted from static to mobile bays just by adding castors.
- Handy for a large workplace where goods need to be moved long distances.



Dunnage Shelving

Heavy Duty shelving with adjustable shelf heights. Easy to clean and corrosion free shelf ends.

Shelf Lengths: Standard Sizes	600, 750, 900, 1050, 1200, 1350, 1500mm
Shelf Depths: Standard Sizes	450, 525, and 600mm
Post Heights: Standard Sizes	1200, 1800 and 2000mm
Weight Loading	Shelves will hold 350kg per tier
Finishes	Galvanised; 304 Grade Stainless Steel



Dunnage Rack

Heavy Duty shelving with adjustable shelf heights. Easy to clean and corrosion-free shelf ends.

Shelf Lengths: Standard Sizes	600, 750, 900, 1050, 1200, 1350, 1500, 1650, and 1800mm
Shelf Depths: Standard Sizes	450, 525, and 600mm
Post Heights	200mm achieves 150mm of ground clearance
Weight Loading	450kg (evenly spaced)
Finishes	Galvanised; Polished Stainless Steel



Security Cages

IMZSC9045

The Security Cage makes storage and movement of costly items much more safe and secure than the normal wire trolley.

- Heavy duty mesh panels secure the sides and back
- Doors are pry resistant and can be padlocked

Shelf Lengths: Standard Sizes	915, 1065, 1220, 1525, 1825mm
Unit Heights: Standard Sizes	2000mm
Shelf Depths: Standard Sizes	450, 525, 600 up to 900mm
Materials	Zinc Plated, Stainless Steel, M-Span
Suitable for	Hospitals, Hospitality, Food Services, Alcohol Storage

IntraMed Overhead – Track System

IntraMed Overhead Track Wire Shelving

- Provides clear uninterrupted floor space for cleaning and trolley access
- Ideal for wet areas
- No floor tracks to gather debris or trip over
- Mobile bays are fixed to bases with large diameter heavy duty castors to ensure ease of movement
- Available in Chrome, Stainless Steel, M-span, Epoxy or a combination of shelving

Shelf Lengths: Standard Sizes	915, 1065, 1220, 1525, 1825mm
Unit Heights: Standard Sizes	2100mm
Shelf Depths: Standard Sizes	455, 610mm
Weight Loading	Static bays Shelves up to 1200mm wide - 360kgs per shelf Shelves from 1200-1800mm wide - 205kgs per shelf Mobile bays - 400kgs (this is the set of 4 castors weight limit)
Colours: Standard	Chrome, Stainless Steel, Epoxy
Suitable for	Sterile Storeroom, Laboratories, Theatre Storage, CSSD, Clean Utilities
Accessories	See Page 19-21







Baskets On Shelf for Containment of Stock



Stainless Steel Wheel Housing



New Style ‘U’ Channel Track with Large Rollers


Discuss your layout requirements with us.
Send us your floorplans and let us assist you.

Shelving Accessories – Chrome & S/Steel



Divider - Round Post

Chrome Code	Stainless Steel Code	Epoxy Code	Size (mm)
IM457CD	**IM457SSD**	**IM457ED**	457 x 200
IM533CD	**IM533SSD**	**IM533ED**	533 x 200
IM610CD	**IM610SSD**	**IM610ED**	610 x 200



Side and Rear Ledges - 114mm High

Chrome Code	Stainless Steel Code	Epoxy Code	Size (mm)
IM457-114CL	**IM457-114SSL**	**IM457-114EL**	457 x 114
IM610-114CL	**IM610-114SSL**	**IM610-114EL**	610 x 114
IM760-100CL	**IM760-100SSL**	**IM760-100EL**	760 x 100
IM915-100CL	**IM915-100SSL**	**IM915-100EL**	915 x 100
IM1070-100CL	**IM1070-100SSL**	**IM1070-100EL**	1070 x 100
IM1220-100CL	**IM1220-100SSL**	**IM1220-100EL**	1220 x 100
IM1370-100CL	**IM1370-100SSL**	**IM1370-100EL**	1370 x 100
IM1525-100CL	**IM1525-100SSL**	**IM1525-100EL**	1525 x 100
IM1830-100CL	**IM1830-100SSL**	**IM1830-100EL**	1830 x 100



Side and Rear Ledges - 300mm High

Chrome Code	Stainless Steel Code	Epoxy Code	Size (mm)
IM457-300CL	**IM457-300SSL**	**IM457-300EL**	457 x 300
IM610-300CL	**IM610-300SSL**	**IM610-300EL**	610 x 300
IM915-300CL	**IM915-300SSL**	**IM915-300EL**	915 x 300
IM1220-300CL	**IM1220-300SSL**	**IM1220-300EL**	1220 x 300
IM1525-300CL	**IM1525-300SS**	**IM1525-300EL**	1525 x 300
IM1830-300CL	**IM1830-300SS**	**IM1830-300EL**	1830 x 300

NOTES

To specify choice of finish, please add “CH“ for Chrome OR “SS“ for Stainless Steel at the end of code in place of the asterisks (**).



Support Bar

Chrome Code	Stainless Steel Code	Epoxy Code	Size (mm)
IMHR355CH	IMHR355SS	IMHR355E	355
IMHR457CH	IMHR457SS	IMHR457EPOXY	457
IMHR533CH	IMHR533SS	IMHR533E	533
IMHR610CH	IMHR610SS	IMHR610EPOXY	610
IMHR760CH	IMHR760SS	IMHR760EPOXY	760
IMHR915CH	IMHR915SS	IMHR915EPOXY	915
IMHR1070CH	IMHR1070SS	IMHR1070E	1070
IMHR1220CH	IMHR1220SS	IMHR1220E	1220
IMHR1525CH	IMHR1525SS	IMHR1525E	1525
IMHR1830CH	IMHR1830SS	IMHR1830EPOXY	1830



Sloping Shelves

Chrome Code	Stainless Steel Code	Size (mm)
IMSLSH457x915CH	IMSLSH457x915SS	457 x 1220
IMSLSH457x1220CH	IMSLSH457x1220SS	457 x 1220
IMSLSH610X915CH	IMSLSH610X915SS	610 x 915
IMSLSH610X1220CH	IMSLSH610X1220SS	610 x 1220



Basket Shelves with Dividers

Chrome Code	Stainless Steel Code	Size (mm)
IMWBSH457X610CH	IMWBSH457X610SS	457 X 610
IMWBSH457X760CH	IMWBSH457X760SS	457 x 760
IMWBSH457X915CH	IMWBSH457X915SS	457 x 915
IMWBSH457X1220CH	IMWBSH457X1220SS	457 x 1220
IMWBSH610X610CH	IMWBSH457X1220SS	610 x 610
IMWBSH610X760CH	IMWBSH610X760SS	610 x 760
IMWBSH610X915CH	IMWBSH610X915SS	610 x 915
IMWBSH610x1220CH	IMWBSH610x1220SS	610 x 1220



Labels - Clear Clips Onto Wire Shelves Top Front Opening

Codes	Size (mm)
IM100CL	100 W
IM150CL	150 W
IM200CL	200 W





Post Clamp (To Secure Posts Together)

Chrome Code	Stainless Steel Code	Size (mm)
IM94Z2-CH	IM94Z2-SS	





S Hook (For Corner Hang On Bays)

Chrome Code	Epoxy Code	Size (mm)
IMSHK	IMSHK- Epoxy	



Rubber Buffer

Chrome Code	Size (mm)
IMRBUF	88



Plastic Clips For Post & Wire Shelving

Chrome Code	Size (mm)
IMPLASTIC CLIPS	Set of 4



Directional Handle for Mobile Bays Trolleys - Round

Chrome Code	Stainless Steel Code	Epoxy Code	Size (mm)
IMDH457CH	IMDH457SS	IMDH457E	457
IMDH610CH	IMDH610SS	IMDH610E	610
IMDH355CH	IMDH355SS	IMDH355E	355
IMDH533CH	IMDH533SS	IMDH533E	533



Strong and versatile shelving used for storage of archives, boxes, bulky/odd shaped items.

- Powder coated smooth and durable finish
- Stepped beam section allows flush fitting of boards
- Easy installation – fully assembled end frames, clip in beams, drop down shelves, no tools, nuts or bolts required
- Can accommodate loads of up to 500kg per shelf
- All shelf levels fully adjustable
- Use starter bays and add on bays to install in a run.

Beam Lengths: Standard Sizes	900, 1200, 1500, 1800, 2100, 2400mm	* Add 60mm per upright to get overall width
Frame Heights: Standard Sizes	2000, 2400, 3000mm	
Frame Depths: Standard Sizes	460, 605, 900mm	
Shelf Options	Particle Board, Timber MDF, Laminate, Wire Mesh or Steel	
Colours	Charcoal, Light Grey	
Weight Loading	Particle board, White Laminate and Galvanized - 225kgs to 300kgs per shelf (dependent on size) Mesh Decks - 150kgs to 280kgs	
Suitable for:	Archive Storerooms, General Storage, Music Rooms	
Accessories	Shelf Support Brace, Foot Plates, Wire Baskets, Castors	



Particle Board



White Laminate



Wire Mesh



Galvanised Panels

Filestor Longspan and Pallet Racking



Storage - Longspan Cages



Warehouse



Pallet Racking

Food Services / Cold Storage



Metro Seal & MetroMax Q



Metro Seal

The unique Metro epoxy powder coat is over twice as thick as many others. Finished in the international standard colour for food. Includes Microban protection which helps reduce stain and odour causing bacteria.

- Shelves are adjustable at 25mm increments along the entire length of the post
- Open wire construction minimises dust accumulation and allows a free circulation of air, greater visibility and light penetration
- 12 year warranty against corrosion

Shelf Lengths: Standard Sizes	760, 915, 1065, 1220, 1370 1525, 1830mm
Unit Heights: Standard Sizes	1890mm
Shelf Depths: Standard Sizes	355, 455, 535, 610mm
Materials	Epoxy Powdercoat
Suitable for	Dry Store, Cool Room, Freezer
Accessories	Shelf Dividers, Product Stop, Post Clamps



MetroMax Shelving

MetroMax Q Shelving comes standard with Microban, antimicrobial product protection built into the shelf mats to inhibit bacteria, mould mildew and fungi that causes odours, stains, and product degradation.

- Open-grid mats lift off for cleaning and fit easily into the dishwasher
- Patented corner lock release allows shelf adjustment in seconds, without tools
- Shelves adjust in 25mm increments
- Polymer shelf mats have a lifetime warranty. Posts have a fifteen year warranty against rust and corrosion

Shelf Lengths: Standard Sizes	610, 760, 915, 1065, 1220, 1370 1525, 1830mm
Unit Heights: Standard Sizes	1890mm
Shelf Depths: Standard Sizes	455, 535, 610mm
Materials	Powder coated taupe coloured legs. Blue polymer mats on grey powder coated steel shelf.
Suitable for	Dry Store, Cool Room, Freezer
Accessories	'S' Hooks, Post Clamps, Shelf Ledges, Label Holders, Shelf Dividers, Tray Drying Racks

M-Span Shelving & Real Tuff



M-Span System

The M-Span Shelf is designed to be easy to clean and last a lifetime for an affordable price. Made by over moulding a sub frame with Food Grade Polypropylene to produce a strong shelf in one process.

- Shelving is quick and easy to assemble requiring no tools
- Shelves have Life Materials Anti-Microbial Protection built in during the manufacturing process to help maintain hygienic food storage
- All shelf posts come standard with adjustable feet
- 20 Year Corrosion Warranty

Shelf Lengths: Standard Sizes	600, 750, 900, 1050, 1200, 1350, 1500mm
Unit Heights: Standard Sizes	1200, 1800, 2000mm
Shelf Depths: Standard Sizes	310, 460, 610mm
Materials	Stainless Steel, Galvanised Posts, Polypropylene Shelves
Suitable for	Dry Store, Cool room, Freezer
Accessories	Shelf Dividers, Product Stop, Post Clamps



Real Tuff

Real Tuff removable shelves have been making life easier for thousands of Australian businesses for more than two decades. Removable shelves are easy to clean and are dishwasher proof. Save time by cleaning one shelf without having to dismantle the entire unit.

- Shelf frames are welded 32mm x 2.5mm roll formed section fitted with moulded Real Tuff Shelves.
- Posts are manufactured from 25mm x 25mm x 1.2mm tube fitted with a bullet foot allowing 32mm of adjustment.
- Weight Loading – Real Tuff shelves are rated to 200kgs evenly space per tier up to 1200mm Long. Sizes 1350mm to 1800mm are rated to 150kg evenly spaced.
- Shelf clips are rated to 150kg up to 1200mm and 100kg for 1350 to 1800mm long shelves.
- All components come with a 12 month Structural Warranty against manufacturing defects

Shelf Lengths: Standard Sizes	600, 750, 900, 1050, 1200, 1350, 1500, 1650, 1800mm
Unit Heights: Standard Sizes	1200, 1800, 2000mm
Shelf Depths: Standard Sizes	300, 450, 525, 600mm
Materials	Zinc with Clear Lacquer, Polished Stainless Steel
Suitable for	Dry Store, Cool room, Freezer

Accessories for Metro Shelving



Divider - Metro Seal

Code	Size (W x H)
ME.DD14K3	355mm W x 203mm H
ME.DD18K3	457mm W x 203mm H
ME.DD21K3	530mm W x 203mm H
ME.DD24K3	610mm W x 203mm H



Divider - Metro MaxQ

Code	Size (W x H)
ME.MQD18.8	457mm W x 203mm H
ME.MQD24.8	610mm W x 203mm H



Side and Rear Ledges - 100mm High Metroseal Green Epoxy

Code	Size (W x H)
ME.L14N.4K3	355mm W x 100mm H
ME.L18N.4K3	457mm W x 100mm H
ME.L21N.4K3	530mm W x 100mm H
ME.L24N.4K3	610mm W x 100mm H
ME.L30N.4K3	760mm W x 100mm H
ME.L36N.4K3	914mm W x 100mm H
ME.L42N.4K3	1066mm W x 100mm H
ME.L48N.4K3	1219mm W x 100mm H
ME.L54N.4K3	1370mm W x 100mm H
ME.L60N.4K3	1524mm W x 100mm H
ME.L72N.4K3	1828mm W x 100mm H

Shelving Accessories - M-Span & Metro

Accessories for M-Span



Rear & Side Ledges M-Span

Code	Size (W x H)
MSBL310	310mm W x 80mm H
MSBL460	460mm W x 80mm H
MSBL600	600mm W x 80mm H
MSBL750	750mm W x 80mm H
MSBL900	900mm W x 80mm H
MSBL1050	1050mm W x 80mm H
MSLB1200	1200mm W x 80mm H
MSBL1350	1350mm W x 80mm H
MSBL1500	1500mm W x 80mm H

Castors - Per Set of 4 Wheels (2 locking and 2 non-locking)



Chrome - Round Post

Code	Size (W x H)
M125C/B	125mm

Stainless Steel - Round Post

Code	Size (W x H)
IM125SS/B	125mm

M-Span and Real Tuff

Code	Size (W x H)
IM1539/40	125mm

Metro Green and Metro MaxQ

Code	Size (W x H)
IMME.5M/B	125mm



Dangerous Goods Storage



Class 3 Flammable Liquid Storage Cabinets - Yellow

- Stainless Steel pin continuous hinging for strength and reliability.
- Strong fully adjustable shelving perforated for free air movement
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for performance
- Flash arrestors & vent opening for mechanical ventilation systems
- Manufactured in Australia

IMSC030	Height	800mm	Width	500mm	Depth	450mm	Weight 30lt, 33kg
Internal	Height	553mm	Width	418mm	Depth	370mm	Shelf 2
IMSC060	Height	1065mm	Width	500mm	Depth	450mm	Weight 60lt, 41kg
Internal	Height	818mm	Width	418mm	Depth	370mm	Shelf 2
IMSC100	Height	800mm	Width	920mm	Depth	615mm	Weight 100lt, 65kg
Internal	Height	553mm	Width	838mm	Depth	535mm	Shelf 2
IMSC160	Height	1220mm	Width	1100mm	Depth	450mm	Weight 160lt, 78kg
Internal	Height	973mm	Width	1018mm	Depth	370mm	Shelf 2
IMSC250	Height	1750mm	Width	1100mm	Depth	500mm	Weight 250lt, 123kg
Internal	Height	1503mm	Width	1018mm	Depth	420mm	Shelf 3



Toxic Substance Storage Cabinets - White

- Stainless Steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for performance
- Flash arrestors & vent opening for mechanical ventilation systems
- Manufactured in Australia

IMSC0306	Height	800mm	Width	500mm	Depth	450mm	Weight 30lt, 33kg
Internal	Height	553mm	Width	418mm	Depth	370mm	Shelf 2
IMSC0606	Height	1065mm	Width	500mm	Depth	450mm	Weight 60lt, 41kg
Internal	Height	818mm	Width	418mm	Depth	370mm	Shelf 2
IMSC1006	Height	800mm	Width	920mm	Depth	615mm	Weight 100lt, 65kg
Internal	Height	553mm	Width	838mm	Depth	535mm	Shelf 2
IMSC1606	Height	1220mm	Width	1100mm	Depth	450mm	Weight 160lt, 78kg
Internal	Height	973mm	Width	1018mm	Depth	370mm	Shelf 2
IMSC2506	Height	1750mm	Width	1100mm	Depth	500mm	Weight 250lt, 123kg
Internal	Height	1503mm	Width	1018mm	Depth	420mm	Shelf 3



Corrosive Substance Storage Cabinets - Blue

- Stainless Steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for performance
- Flash arrestors & vent opening for mechanical ventilation systems
- Manufactured in Australia

IMSC0308	Height	800mm	Width	500mm	Depth	450mm	Weight 30lt, 33kg
Internal	Height	553mm	Width	418mm	Depth	370mm	Shelf 2
IMSC0608	Height	1065mm	Width	500mm	Depth	450mm	Weight 60lt, 41kg
Internal	Height	818mm	Width	418mm	Depth	370mm	Shelf 2
IMSC1008	Height	800mm	Width	920mm	Depth	615mm	Weight 100lt, 65kg
Internal	Height	553mm	Width	838mm	Depth	535mm	Shelf 2
IMSC1608	Height	1220mm	Width	1100mm	Depth	450mm	Weight 160lt, 78kg
Internal	Height	973mm	Width	1018mm	Depth	370mm	Shelf 2
IMSC2508	Height	1750mm	Width	1100mm	Depth	500mm	Weight 250lt, 123kg
Internal	Height	1503mm	Width	1018mm	Depth	420mm	Shelf 3

IntraSpace™

NEED MORE INFORMATION?

We're here to help your next project run smoothly and perform from day one.

1800 800 573

info@intraspace.com.au

ISO 9001: 2015
Quality Management Systems

ISO 14001: 2015
Environmental Management Systems

ISO 45001: 2018
Occupational Health and Safety Management Systems

EXPLORE STORAGE SOLUTIONS

intraspace.com.au